






ISOMETRIC VIEW

NOT TO SCALE



one eighth inch = one foot
one quarter inch = one foot
three eighths inch = one foot
one half inch = one foot
three quarters inch = one foot
one inch = one foot
one and one half inches = one foot
two inches = one foot
three inches = one foot
four inches = one foot
five inches = one foot
six inches = one foot
seven inches = one foot
eight inches = one foot
nine inches = one foot
ten inches = one foot
eleven inches = one foot
twelve inches = one foot
thirteen inches = one foot
fourteen inches = one foot
fifteen inches = one foot
sixteen inches = one foot
seventeen inches = one foot
eighteen inches = one foot
nineteen inches = one foot
twenty inches = one foot
twenty one inches = one foot
twenty two inches = one foot
twenty three inches = one foot
twenty four inches = one foot
twenty five inches = one foot
twenty six inches = one foot
twenty seven inches = one foot
twenty eight inches = one foot
twenty nine inches = one foot
thirty inches = one foot
thirty one inches = one foot
thirty two inches = one foot
thirty three inches = one foot
thirty four inches = one foot
thirty five inches = one foot
thirty six inches = one foot
thirty seven inches = one foot
thirty eight inches = one foot
thirty nine inches = one foot
forty inches = one foot
forty one inches = one foot
forty two inches = one foot
forty three inches = one foot
forty four inches = one foot
forty five inches = one foot
forty six inches = one foot
forty seven inches = one foot
forty eight inches = one foot
forty nine inches = one foot
fifty inches = one foot
fifty one inches = one foot
fifty two inches = one foot
fifty three inches = one foot
fifty four inches = one foot
fifty five inches = one foot
fifty six inches = one foot
fifty seven inches = one foot
fifty eight inches = one foot
fifty nine inches = one foot
sixty inches = one foot
sixty one inches = one foot
sixty two inches = one foot
sixty three inches = one foot
sixty four inches = one foot
sixty five inches = one foot
sixty six inches = one foot
sixty seven inches = one foot
sixty eight inches = one foot
sixty nine inches = one foot
seventy inches = one foot
seventy one inches = one foot
seventy two inches = one foot
seventy three inches = one foot
seventy four inches = one foot
seventy five inches = one foot
seventy six inches = one foot
seventy seven inches = one foot
seventy eight inches = one foot
seventy nine inches = one foot
eighty inches = one foot
eighty one inches = one foot
eighty two inches = one foot
eighty three inches = one foot
eighty four inches = one foot
eighty five inches = one foot
eighty six inches = one foot
eighty seven inches = one foot
eighty eight inches = one foot
eighty nine inches = one foot
ninety inches = one foot
ninety one inches = one foot
ninety two inches = one foot
ninety three inches = one foot
ninety four inches = one foot
ninety five inches = one foot
ninety six inches = one foot
ninety seven inches = one foot
ninety eight inches = one foot
ninety nine inches = one foot
one hundred inches = one foot




1 LEVEL 3 PLAN - ARCHITECTURAL PARKING
3/22 = 1'-0"

BID DEDUCTS	
ALT	DESCRIPTION (REFER TO SHEET G103 FOR MORE INFORMATION)
1	DO NOT PROVIDE CCTV CAMERAS THROUGHOUT THE GARAGE, CCTV CABINET, EQUIPMENT, AND ALL CONDUIT AND CABLEING TO EACH CAMERA LOCATION SHALL REMAIN IN BASE BID FOR CONNECTION TO FUTURE CAMERAS PROVIDED BY THE VA.
2	DO NOT PROVIDE ELEVATOR NUMBER 2. HOISTWAY SHAFT IS TO REMAIN, BUT REMOVE ALL EQUIPMENT ASSOCIATED WITH ELEVATOR TWO.
3	REMOVE ALL LANDSCAPING FROM SCOPE EXCEPT FOR THE BIO-RETENTION AREA. REPLACE ALL PLANNED LANDSCAPE AREAS WITH SEEDING. REMOVE THIN SET BRICK FROM SCOPE AND PROVIDE COLORED PRECAST CONC. PC-1 IN ITS PLACE. REMOVE GLAZING AND STOREFRONT FROM SECONDARY STAIR TOWER. REPLACE OPENINGS WITH FALL DETERRENT DETAIL. REDUCE HEIGHT OF SECONDARY STAIR TO HEIGHT OF TOP LEVEL GARAGE SPANDREL (137'-9") AND CONTINUE FALL DETERRENT DETAIL AROUND PERIMETER OF SECONDARY STAIR TOWER. REMOVE PREFABRICATED ALUMINUM CANOPY COVER ON TOP LEVEL OF THIRD EGRESS STAIR. REMOVE PRECAST STAIR COMPONENTS AND RAILINGS FROM LEVEL 1 UP TO LEVEL 3 OF THE THIRD EGRESS STAIR. LEAVE THE REQUIRED STAIR THAT CONNECTS LEVELS 3 AND LEVEL 4 FOR EGRESS. REMOVE GLAZING AND STOREFRONT FROM INTERIOR SIDE OF TOP FLOOR LOBBY AT MAIN STAIR TOWER. GLAZING AND STOREFRONT ON EXTERIOR SIDE OF TOP FLOOR IS TO REMAIN.
4	DO NOT PROVIDE AREA #1 - LEVEL 4. REFER TO DRAWINGS ON G103 FOR EXTENT OF AREA DEDUCT.
5	DO NOT PROVIDE AREA #2 - LEVEL 4. REFER TO DRAWINGS ON G103 FOR EXTENT OF AREA DEDUCT.
6	DO NOT PROVIDE AREA #3 - LEVEL 4. REFER TO DRAWINGS ON G103 FOR EXTENT OF AREA DEDUCT.
7	DO NOT PROVIDE AREA #4 - LEVEL 3. REFER TO DRAWINGS ON G103 FOR EXTENT OF AREA DEDUCT.

SHEET NOTES:

- INDICATES PLAN MATCH LINE.
- PARKING SPACE STRIPING TO BE 4" WIDE YELLOW STRIPING. REFER TO DWG AP501 FOR ADDL INFORMATION.
- CROSS HATCH STRIPING TO BE 4" WIDE YELLOW STRIPING AT 24" OC TO BE PLACED AT LOCATIONS AS SHOWN ON THE PLANS. REFER TO DWG AP501 FOR ADDL INFORMATION.
- DIRECTIONAL ARROWS TO BE PAINTED YELLOW AT LOCATIONS AS SHOWN ON THE PLANS. REFER TO DWG AP501 FOR ADDL INFORMATION.
- PAINTED GRAPHICS TO BE PLACED AT LOCATIONS AS SHOWN ON THE PLANS. REFER TO DWG AP501 FOR ADDL INFORMATION.
- XXXX (XXX) REPRESENTS SIGN MARK. REFER TO SHEET AP501 - SIGN SCHEDULE. THE SECOND CHARACTER (X) IS THE SIGN MOUNTING DETAIL. REFER TO SHEET AP501 - SIGN MOUNTING SCHEDULE. ALL SIGNAGE AND GRAPHICS TO BE PLACED AS SHOWN ON PLANS AND PER DETAIL 41AP501. REFER TO SHEET AP501 FOR ADDL INFORMATION.
- ALL SIGNS LOCATED AT ENTRY/EXIT SHALL BE CENTERED IN LANES, TYP.
- PARKING SPACE DIMENSIONS INDICATED ARE FROM THE FACE OF A WALL OR COLUMN, UNLESS OTHERWISE INDICATED OR NOTED.
- 6" D CONCRETE FILLED STEEL BOLLARD WITH SIGN POST. REFER TO DETAIL 81AP501, TYP AT SOG OR WAP501 AT SUPPORTED LEVELS.

- CONCRETE BOLLARD. REFER TO DETAIL 10AP501.
- PARKING SPACE STRIPING DIMENSIONS INDICATED ARE FROM THE FACE OF A WALL OR COLUMN, UNLESS NOTED OTHERWISE INDICATED OR NOTED. TOLERANCES ARE AS FOLLOWS:
A. PARKING SPACE LENGTH = INDICATED LENGTH +/- 2"
B. PARKING SPACE WIDTH = INDICATED WIDTH +/- 1"
C. BASE LINE LENGTH = INDICATED LENGTH +/- 1"
D. STRIPE WIDTH - 4" +/- 1/4"
E. TOTAL OVERALL STRIPING BASELINE DIMENSIONS = INDICATED LENGTH +/- 2" PER RUN.



ISOMETRIC VIEW
NOT TO SCALE

Carl Walker, Inc.
No. 2618

U.S. Department of Veterans Affairs
WILLIAM JENNINGS BRYAN DORN VAMC, COLUMBIA, SC
6439 GARNERS FERRY RD, COLUMBIA, SC 29209

U.S. Department of Veterans Affairs
VA Project Number
544-306

U.S. Department of Veterans Affairs
VA Project Number
544-306

ARCHITECT/ENGINEERS:
PROJECT LEAD
Architect, Civil Engineer
GUIDON DESIGN
905 N. CAPITOL AVE. SUITE 100 INDIANAPOLIS, IN 46204
317.800.6388 WWW.GUIDONDESIGN.COM
SUSTAINABLE ARCHITECTURE + ENGINEERING

Structural Engineer,
Functional Design
CARL WALKER INC.
14045 Ballantyne Corporate Place, Suite 380
Charlotte, NC 28277
Tele: 704.716.8000

MEP Engineer
APOGEE CONSULTING GROUP
1151 Kildaire Farm Road
Suite 120
Cary, NC 27511
Tele: 919.858.7420

Drawing Title
LEVEL 3 PLAN - ARCHITECTURAL PARKING

Approved for Design Concept:
FACILITY MANAGEMENT
DIVISION MANAGER

Project Title
CONSTRUCT PARKING GARAGE

Location
COLUMBIA, SC VAMC

Date
04 DEC 2015

Checked By:
RCM

Drawn By:
ELM

A/E Project Number
15.1003
Building Number
108

Drawing Number
AP103

OFFICE OF FACILITIES MANAGEMENT

VA Project Number
544-306

U.S. Department of Veterans Affairs

Revisions:

Date



ISOMETRIC VIEW
NOT TO SCALE



1 SIGN MOUNTING DETAIL
1 1/2" = 1'-0"

2 BOLLARD/SIGN MOUNTING DETAIL
1" = 1'-0"

3 SIGN MOUNTING DETAIL
1 1/2" = 1'-0"

4 SIGN LOCATION DETAIL
12" = 1'-0"

5 SIGN MOUNTING DETAIL
1 1/2" = 1'-0"














SIGN MOUNTING SCHEDULE

MARK	MOUNTING TYPE	VA SIGN MOUNTING DETAIL	REMARKS
A	VERTICAL SURFACE MOUNT	PS INSTALLATION DETAIL 4	WALL OR COLUMN MOUNTED
B	VERTICAL SURFACE MOUNT	PG INSTALLATION DETAIL 3	BEAM MOUNTED
C	HANGING MOUNT	PS CONSTRUCTION DETAIL 5	SWING FRAME W/ NO BANG BAR
D	HANGING MOUNT	REFER TO 5/AP601	
E	POST MOUNT	REFER TO 2/AP601	BOLLARD
F	POST MOUNT	REFER TO 1/AP601	SPANDREL / POST
G	POST MOUNT	REFER TO 3/AP601	LIGHT POLE

SHEET NOTES

1. SIGNAGE TO BE DESIGNED IN CONJUNCTION WITH THE VA SIGNAGE DESIGN GUIDE.
2. COLOR SCHEME:
ENTRANCE/EXIT SIGNS ARE E4: YELLOW BACKGROUND - BLACK COPY
VEHICULAR SIGNS AND PEDESTRIAN SIGNS P3-P6: BLACK MATTE BACKGROUND - WHITE REFLECTIVE COPY
3. SIGNAGE SHALL BE PLACED AS SHOWN IN PLANS, FOR ADDITIONAL ASSISTANCE IN LOCATING SIGNAGE REFER TO DETAIL 44P001 AND VA SIGNAGE DESIGN GUIDE.
4. REFER TO A5601 FOR LEVEL COLOR CODING. COORDINATE WITH VA MEDICAL CENTER TO CONFIRM COLORS USED FOR EACH LEVEL.
5. COORDINATE ROOM NUMBER W/V.A.

SIGN SCHEDULE

MARK	SIGN MESSAGE	VA SIGN TYPE	REMARKS
ENTRANCE/EXIT SIGNS			
E1	Entrance	PS-08	COLOR TBD BY VA
E2	Exit	PS-08	COLOR TBD BY VA
E3	8'-2" Clearance 8'-2"	PS-09.01	
E4	 DO NOT ENTER 	PS-09.01	
VEHICULAR SIGNS			
V1	 Park 	PS-01.04 or PS-02.04	
V2	 Park	PS-01.04 or PS-02.04	
V3	 Exit Park 	PS-01.03 or PS-02.03	
V4	 Exit	PS-01.03 or PS-02.03	
V5	Park 	PS-01.03 or PS-02.03	
V6	 Exit	PS-01.03 or PS-02.03	
V7	 Park Exit 	PS-01.03 or PS-02.03	
REGISTRAR SIGNS			
P1	In Case of Fire...	IN-01.04	REFER TO DETAIL AP#01
P2	Level X	PS-03.01	REFER TO NOTE 4
P3	Elevators 	PS-01.04 or PS-02.04	
P4	Stairs Elevators	PS-01.03	
P5	Stairs	PS-01.04	
P6	 Elevators	PS-01.04 or PS-02.04	
REGULATORY SIGNS			
R1	Accessible	EN-12.04A	
R2	Van Accessible	EN-12.04C	
R3	No Parking - Any Time	EN-12.03	
R4	No Weapons Permitted	IN-02.03	
BUILDING SIGNS			
B1	Maintenance (BRAILLE)	IN-03.01 AND IN-04.01	COLOR TBD BY VA
B2	IT Room (BRAILLE)	IN-03.01 AND IN-04.01	COLOR TBD BY VA
B3	Security Room (BRAILLE)	IN-03.01 AND IN-04.01	COLOR TBD BY VA
B4	Stairs (BRAILLE)	IN-03.01 AND IN-04.01	COLOR TBD BY VA
B5	Elevators (BRAILLE)	IN-03.01 AND IN-04.01	COLOR TBD BY VA. REFER TO DETAIL 5/AP601
B6	Elevator Machine Room (BRAILLE)	IN-03.01 AND IN-04.01	COLOR TBD BY VA
B7	Electrical	IN-03.01	PROVIDE ROOM # SIGN ONLY

6 SIGN DETAIL
1" = 1'-0"

7 SIGN DETAIL
1" = 1'-0"

9 SIGN DETAIL
1" = 1'-0"



8 SIGN DETAIL
1" = 1'-0"

10 SIGN DETAIL
1" = 1'-0"

11 SIGN DETAIL
1" = 1'-0"

12 SIGN DETAIL
1" = 1'-0"

SIGN DETAIL
3" = 1'-0"



ARCHITECT/ENGINEERS:

PROJECT LEAD
Architect, Civil Engineer



905 N. CAPITOL AVE. SUITE 100 INDIANAPOLIS, IN. 46202
317.800.6388 WWW.GUIDONDESIGN.COM

SUSTAINABLE ARCHITECTURE + ENGINEERING

**Structural Engineer,
Functional Design**
CARL WALKER INC.

14045 Ballantyne
Corporate Place, Suite
Charlotte, NC 28277

Tele: 304.316.8000

MEP Engineer
APOGEE COMMERCIAL
GROUP

1151 Kildaire Farm Road
Suite 120
Cary, NC 27511

Tele: 010 858 7420

Drawing Title	SIGN SCHEDULE & DETAILS - ARCHITECTURAL PARKING
---------------	--

Approved for Design Concept:
FACILITY MANAGEMENT
DIVISION MANAGER

CONSTRUCTION DOCUMENTS

Project Title	CONSTRUCT PARKING GARAGE
---------------	--------------------------

Location	COLUMBIA SC VAMC
----------	------------------

Date

WAMC

Checked By:	
-------------	--

A/E Project Number	15.1003
--------------------	---------

Building Number	108
-----------------	-----

	Drawing Number

AP60

OFFICE OF
FACILITIES
MANAGEMENT

Project Number
14-306